

CITY OF FRISCO

GEORGE A. PUREFOY MUNICIPAL CENTER 6101 FRISCO SQUARE BLVD - 3RD FLOOR FRISCO, TEXAS 75034 TEL 972.292.5300 - FAX 972.292.5388 WWW.FRISCOTEXAS.GOV

Memo

To: Development Representative From: Planning Technicians

RE: Procedures for Plat Filing Date: 08-14-2009

UPDATE

PRIOR TO SUBMITTING MYLARS (Only on Final Plats approved prior to July 17, 2009)

It is required that you submit two (2) folded paper copies for review by Planning and Engineering. This is called a "pre-sig." After receiving and correcting any final changes, you may proceed with the procedure below.

NEW PROCEDURE FOR FILING OF PLATS

All plats will now be filed by City of Frisco Staff. Therefore, when submitting mylars for signatures, you will be required to submit certified tax certificates, from all taxing entities, and filing fees for the appropriate county (see below), check made payable to the appropriate Tax Assessor.

GETTING SIGNATURES (Must be submitted the Tuesday prior to the P&Z Meeting for Plats submitted after July 17, 2009)

Please submit to the City of Frisco Planning Department the following for original signatures:

- One (1) 24x36 mylar for Planning (original)
- One (1) 24x36 mylar for Engineering (original) As-Builts, **if needed** (typically, As-Builts are required only with final plats, not replats or conveyance plats)

For plats being filed in Collin County, you will also need:

• One (1) 24x36 mylar (original)

For plats being filed in Denton County, you will also need:

• One (1) 24x36 blacklines (original) BLUELINES WILL NO LONGER BE ACCEPTED.

Please note that getting all required City signatures can take one to two weeks, depending on staff workload and availability of Planning & Zoning Commission Chairperson.



Collin County:

min' Ocarry.	
1 st Page	\$21.00
Each additional page	\$10.00
One copy if File Marked	
Any Additional Copies File Marked/Page	
Tax Certificates to be filed	

Denton County:

Plat Fee/page	\$50	0.00
First 2 copies Additional File Marked	Free	Э
Any Additional Copies File Marked/Page	\$.25